
NEELSON

Tiles



DIGITAL VITRIFIED TILES

600X600MM

www.neelson.in

COMPANY PROFILE

We, NEELSON Ceramic, are an ISO 9001-2008 certified Manufacturer & Exporter of Ceramic Glazed Vitrified Tiles located at the ceramic capital hub of India(Morbi). Our products are made with the state of the art fully automatic manufacturing plant in collaboration with Italian, German and Spain technology.

NEELSON

Tiles-Bathware

MISSION

Delight customers with world class ceramic products and services at affordable prices. Make Neelson synonymous with best quality in ceramics and set new benchmarks of excellence for all stakeholders.

VISION

Our vision is to satisfy all the needs of our precious customers by our premium qulity products and our well trained staff. By adopting latest technology and corporate experienced workers, we are on our way to achieve our target.



MADE IN INDIA

स्वच्छ भारत

एक कदम स्वच्छता की ओर

WITH A FIRM RESOLVE TO BRING ABOUT PRODUCTS UTILIZING ALL RESOURCES INDIAN, NEELSON BELIEVES IN CREATING CUTTING EDGE PRODUCTS WITH A SIGNATURE STYLE AND TRULY INDIAN IN DESCENT. WE TRULY SUPPORT THE CALL FOR A SELF- RELIANT INDIA.


APPLICATION



INDOOR FLOORS



OUTDOOR FLOORS



EXTERIOR FACADES



KITCHEN
COUNTER TOPS



INTERIOR FURNISHING
AND DESIGN ELEMENTS



BATHROOM VANITY TOPS
AND SHELVES



INDOOR WALLS

FEATURES



STAIN
PROOF



EASY TO
CLEAN



HYGIENIC



NON-
ABSORBENT



DURABLE



FROST
PROOF



CHEMICAL
RESISTENCE



SCRATCH
RESISTENCE



UV RAY
RESISTENCE



HOT
RESISTANCE

TECHNOLOGY




Technology is a key factor behind Neelson's innovation and remarkable products.




(COLORS)
6


■ APPOLO TUSK




■ APPOLO BROWN




■ APPOLO BEIGE




■ APPOLO IVORY



APPOLO GREY



APPOLO DARK GREY




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

APPOLO GREY

600X600 mm



Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles

www.neelsonceramic.com

(COLORS)
4

CAMARGUE GREY



CAMARGUE DARK GREY



CAMARGUE DARK



CAMARGUE LIGHT



Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

CAMARGUE LIGHT

600X600 mm




Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles


www.neelsonceramic.com

(COLORS)
6


CELIA PINK




CELIA CHOCO




CELIA OLIVE




CELIA IVORY



CELIA BIANCO



CELIA GRIS




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

CELIA CHOCO

600X600 mm




Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles


www.neelsonceramic.com

(COLORS)
6

DANXIA BLANCO




DANXIA LIGHT GREY




DANXIA DARK GREY



DANXIA IVORY



DANXIA COTTO



DANXIA BROWN




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

DANXIA DARK GREY

600X600 mm




Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles

www.neelsonceramic.com

(COLORS)
6

DUBLIN BEACH



DUBLIN SAND



DUBLIN CREMA



DUBLIN GRIS



DUBLIN WHITE



DUBLIN GREY




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

DUBLIN CREMA

600X600 mm



Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles

www.neelsonceramic.com

(COLORS)
6


■ ELAPSO BLEND

■ ELAPSO NATURAL

■ ELAPSO NOCE

■ ELAPSO ARK

ELAPSO SKY



ELAPSO GREY




Matt


random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

ELAPSO BLEND

600X600 mm






Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles


www.neelsonceramic.com

(COLORS)
6


GRAVEL CRYST



GRAVEL SAND




GRAVEL MUD




GRAVEL CHOCO



GRAVEL GREY



GRAVEL DARK GREY




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

GRAVEL CHOCO

600X600 mm



Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles


www.neelsonceramic.com

(COLORS)
2

■ HACK BERRY BIANCO



■ HACK BERRY GREEN




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

HACK BERRY GREEN

600X600 mm



Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze


Digital Glazed Vitrified Tiles

www.neelsonceramic.com

(COLORS)

6


KRONOS SAND




KRONOS GREEN



KRONOS CREMA



KRONOS BEIGE



KRONOS GREY

KRONOS GRIS




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

KRONOS BEIGE

600X600 mm



Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles

www.neelsonceramic.com

(COLORS)
4

NATURAL MOSECO PINK



NATURAL MOSECO BROWN



NATURAL MOSECO GRIS



NATURAL MOSECO GREY




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

NATURAL MOSECO GREY

600X600 mm



Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles

www.neelsonceramic.com

(COLORS)
4

RUBBLE BLANCO



RUBBLE GREY



RUBBLE IVORY



RUBBLE BEIGE




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

RUBBLE BEIGE

600X600 mm




Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles

www.neelsonceramic.com

(COLORS)
6


STONIC SILVER



STONIC BEIGE



STONIC CASHEWS



STONIC MIST



STONIC NATURAL



STONIC BLACK




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

STONIC BLACK

600X600 mm



Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles

www.neelsonceramic.com

(COLORS)
8


XTREME WHITE

XTREME IVORY


XTREME GREY

XTREME BLACK


XTREME BROWN




XTREME AMBER



XTREME BEIGE



XTREME GREEN




Matt

random *aleatorio* | wall / floor tiles *pavimenti / rivestimenti* | use 3mm space usare lo spazio 3mm

NEELSON
Tiles

XTREME BLACK

600X600 mm



Eco Friendly | Digital Printing + | High Reflection Glaze | Abrasion Resistance | Imported Super Glaze

Digital Glazed Vitrified Tiles

www.neelsonceramic.com

Export Network



VITRIFIED TILES / **TECHNICAL SPECIFICATION**

	CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	VALUE	TEST METHOD
A.	**REGULATORY PROPERTIES**			
	Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
	Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
	Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
	Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
	Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
	Color difference	Unaltered	No change	ISO-10545-16
	Glossiness	As per mfg	Min 4%	GLOSSOMETER
B.	**STRUCTURAL PROPERTIES**			
	Water absorption	≤ 0.05 %	≤ 0.05 %	ISO-10545-3
	Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
C.	**MASSIVE MECHANICAL PROPERT IES**			
	Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
D	**SURFACE MECHANICAL PROPERT IES**			
	Surface abrasion resistance	As per mfg	Min. Class-4	ISO-10545-7
	MOH's hardness	As per mfg	Min. 5	EN 101
E.	**THERMO HYGROMETRIC PROPER TIES**			
	Frost resistance	No damage	No damage	ISO-10545-12
	Thermal shock resistance	No damage	No damage	ISO-10545-9
	Moisture expansion	Nil	Nil	ISO-10545-10
	Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10^{-6}	ISO-10545-8
	Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
F.	**CHEMICAL PROPERTIES**			
	Chemical resistance	No damage	No damage	ISO-10545-13
	Stain resistance	Resistant	Resistant	ISO-10545-14
G	**SAFETY PROPERTIES**			
	Slip resistance	As per mfg	> 0.40	ISO-10545-17
	Fire resistance	As per mfg	Fireproof	N. A.
	Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAIL

Size	Normal Thickness	No. Of Tiles / Box	Coverage Area	Weight Per Box
600x600mm	**9.0mm (Approx)**	**4 Pcs.**	**1.44 Sq.Mtr.**	**28.00 kg. (Approx)**

NOTE : Certain amount of size and shade variation is inherent in all ceramic products • Our conformity to the above standards is applicable only for Premium Quality. • Colours shown are as accurate as the limitations of the printing process will allow. • Prospective customers are advised to inspect a sample of the tile before ordering. • Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specification without prior notice. • Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggested to check the tiles before purchase and laying as the company does not accept responsibility once the tiles are laid.

NEELSON

Tiles

UNIT-1

NEELSON CERAMIC LLP

S.No. 149/1, Taraviya Sanala Road
Halvad Road, At. Unchi mandal,
Morbi - 363642, (Gujrat) INDIA..

UNIT-2

NEELSON PORSELANO LLP

Ghuntu Surve.No. 80-81/1,Taraviya
Sanala Road Halvad Highway, At. Unchimandal
Morbi - 363642, (Gujrat) INDIA.

E : export@neelsonceramic.com

w : www.neelson.in